Request for Correction of Issued Patent U.S. Application No. 10/551,721 U.S. Patent No. 7,850,694 Attorney Docket: P268-US January 31, 2011 Page 1

PATENT IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applican	t: RAUS, Laura)	Examiner: WAGGLE, JR, Larry E.	
Serial No	o.: 10/551,721)	Art Unit: 3775	
U.S. Pate	ent: 7,850,694)	Our Ref: P268-US	
Filed:	October 3, 2005)	Date: January 31, 2011	
	PNEUMATIC INSTRUMENT FOR ISSUE REMOVAL"))	Re: Request for Correction of Issued Patent	
)		

REQUEST FOR CORRECTION OF ISSUED PATENT UNDER 35 USC 254 AND 37 CFR 1.322

Commissioner for Patents Office of Patent Publication ATTN: Certificate of Correction Branch P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

The present paper is being filed to correct an error in the Request for Correction of Issued Patent filed by Applicants on January 27, 2011. The "Application No." on the Certificate of Correction (Form PTO/SB/44) was incorrectly listed as "11/551,721". The correct Application No. is 10/551,721.

In reviewing the above-identified Patent issued on December 14, 2010, we note USPTO-generated spelling errors in the specification as described below.

Request for Correction of Issued Patent U.S. Application No. 10/551,721 U.S. Patent No. 7,850,694 Attorney Docket: P268-US January 31, 2011 Page 2

The word rotabably in column 1, line 21 on page 7 is listed incorrectly in the issued patent.				
The correct word is:				
rotatably				
The word oseotomes in column 1, line 37 on page 7 is listed incorrectly in the issued patent.				
The correct word is:				
osteotomes				
The word bandied in column 2, line 39 on page 7 is listed incorrectly in the issued patent.				
The correct word is: handled				
nandled				
The word operaton in column 4, line 50 on page 8 is listed incorrectly in the issued patent.				
The correct word is:				
operation				
The word neuronaviqation in column 7, line 16 on page 10 is listed incorrectly in the issued patent.				

neuronavigation

The **correct** word is:

Request for Correction of Issued Patent U.S. Application No. 10/551,721

U.S. Patent No. 7,850,694 Attorney Docket: P268-US

January 31, 2011

Page 3

Applicants respectfully request the appropriate correction of the above-identified patent in

accordance with MPEP 1480, "Certificates of Correction-Office Mistake". Please also find

enclosed a corrected Certificate of Correction (Form PTO/SB/44) to the present paper.

The Applicant believes that no fee is due in connection with the submission of the present paper.

However, the Commissioner is authorized to charge any additional fee which may be required or

credit overpayment to deposit account no. 50-4194. Please ensure that the Attorney Docket

Number is referred to when charging any payments or crediting any overpayments for this case.

I hereby certify that this correspondence is being electronically filed on January 31, 2011 by Richard Yo

/Richard Yo/

Respectfully submitted,

/ Daniel Ueno Reg. No. 64,743/

Daniel Ueno Agent for Applicants Reg. No. 64,743

STEINFL & BRUNO LLP

301 N. Lake Avenue, Suite 810 Pasadena, CA 91101

Telephone: (626) 792-0536

Fax: (626)792-1342

Encl: Certificate of Correction (Form PTO/SB/44) (1 pg.)